

W4 – 5.3 Transformations of Trig Functions

MHF4U

Jensen

SOLUTIONS...


- 1) For each function, fill in the table of information and then graph two cycles of the transformed function using transformations of the parent function. Choose an appropriate scale.

a) $y = 5 \sin(3x)$

| | |
|-------------------------------|---|
| Amplitude: $= a = 5$ | Period: $\frac{2\pi}{ k } = \frac{2\pi}{3}$ |
| Phase shift: <i>none</i> | Vertical shift: <i>none</i> |
| Max: $C + a = 0 + 5 = 5$ | Min: $C - a = 0 - 5 = -5$ |

| $y = \sin x$ | |
|--------------|-----|
| x | y |
| 0 | 0 |
| $\pi/2$ | 1 |
| π | 0 |
| $3\pi/2$ | -1 |
| 2π | 0 |

| $y = 5 \sin(3x)$ | |
|------------------|------|
| $\frac{\pi}{3}$ | $5y$ |
| 0 | 0 |
| $\pi/6$ | 5 |
| $\pi/3$ | 0 |
| $3\pi/2 = \pi/2$ | -5 |
| $2\pi/3$ | 0 |



b) $y = -3 \cos\left(\frac{3}{4}x\right)$

| | |
|--------------------|---|
| Amplitude: | Period: |
| $= a = -3 = 3$ | $= \frac{2\pi}{ k } = \frac{2\pi}{\left(\frac{3}{4}\right)} = \frac{8\pi}{3}$ |
| Phase shift: | Vertical shift: |
| NONE | NONE |

Max:


$$= c + |a| = 0 + 3 = 3$$

Min:

$$= c - |a| = 0 - 3 = -3$$

| $y = \cos x$ | |
|--------------|-----|
| x | y |
| 0 | 1 |
| $\pi/2$ | 0 |
| π | -1 |
| $3\pi/2$ | 0 |
| 2π | 1 |

| $\frac{4}{3}x$ | $-3y$ |
|-----------------------------------|-------|
| 0 | -3 |
| $\frac{4\pi}{6} = \frac{2\pi}{3}$ | 0 |
| $\frac{4\pi}{3}$ | 3 |
| $\frac{12\pi}{6} = 2\pi$ | 0 |
| $\frac{8\pi}{3}$ | -3 |




c) $y = 4 \sin \left[3 \left(x - \frac{\pi}{3} \right) \right] - 2$

| | |
|--|---|
| Amplitude: $= a = 4$ | Period: $\frac{2\pi}{ k } = \frac{2\pi}{3}$ |
| Phase shift: $\frac{\pi}{3}$ to the RIGHT | Vertical shift: 2 DOWN |
| Max: $C + a = -2 + 4 = 2$ | Min: $C - a = -2 - 4 = -6$ |

| $y = \sin x$ | |
|--------------|-----|
| x | y |
| 0 | 0 |
| $\pi/2$ | 1 |
| π | 0 |
| $3\pi/2$ | -1 |
| 2π | 0 |

| $y = 4 \sin \left[3 \left(x - \frac{\pi}{3} \right) \right] - 2$ | |
|--|----------|
| $\frac{x}{3} + \frac{\pi}{3}$ | $4y - 2$ |
| $\pi/3$ | -2 |
| $3\pi/6 = \pi/2$ | 2 |
| $2\pi/3$ | -2 |
| $5\pi/6$ | -6 |
| $3\pi/3 = \pi$ | -2 |




d) $y = 2 \sin\left[\frac{1}{2}\left(x + \frac{5\pi}{6}\right)\right] + 4$

| | |
|---------------------------------------|--|
| Amplitude: $= \alpha = 2$ | Period: $\frac{2\pi}{ \omega } = \frac{2\pi}{\left(\frac{1}{2}\right)} = 4\pi$ |
| Phase shift: $\frac{5\pi}{6}$ Left | Vertical shift: 4 up |
| Max: $c + \alpha = 4 + 2 = 6$ | Min: $c - \alpha = 4 - 2 = 2$ |


| $y = \sin x$ | |
|------------------|-----|
| x | y |
| 0 | 0 |
| $\frac{\pi}{2}$ | 1 |
| π | 0 |
| $\frac{3\pi}{2}$ | -1 |
| 2π | 0 |

| $y = 2 \sin\left[\frac{1}{2}\left(x + \frac{5\pi}{6}\right)\right] + 4$ | |
|---|----------|
| $2x + \frac{5\pi}{6}$ | $2y + 4$ |
| $-\frac{25\pi}{6}$ | 4 |
| $-\frac{5\pi}{6}$ | 6 |
| $\frac{\pi}{6}$ | 4 |
| $\frac{7\pi}{6}$ | 2 |
| $\frac{13\pi}{6}$ | 4 |
| $\frac{19\pi}{6}$ | 6 |



2) Model each graph shown as a sine and cosine function.

a)



$$a = \frac{\max - \min}{2} = \frac{4 - (-2)}{2} = 3$$

$$k = \frac{2\pi}{\text{period}} = \frac{2\pi}{4} = \frac{\pi}{2}$$

$$c = \max - |a| = 4 - 3 = 1$$


$$d_{\sin} = 1$$

$$d_{\cos} = 2$$

$$y = 3 \sin \left[\frac{\pi}{2}(x-1) \right] + 1$$

$$y = 3 \cos \left[\frac{\pi}{2}(x-2) \right] + 1$$

b)



$$a = \frac{\max - \min}{2} = \frac{3 - (-1)}{2} = 2$$


$$k = \frac{2\pi}{\text{period}} = \frac{2\pi}{12} = \frac{\pi}{6}$$

$$c = \max - |a| = 3 - 2 = 1$$

$$d_{\cos} = 4$$

$$d_{\sin} = d_{\cos} - \frac{\pi}{2k} = 4 - \frac{\pi}{2 \cdot \frac{\pi}{6}} = 4 - \frac{\pi}{3} = 4 - 3 = 1$$

c)



$$a = \frac{\max - \min}{2} = \frac{2 - (-4)}{2} = 3$$

$$k = \frac{2\pi}{\text{period}} = \frac{2\pi}{\pi} = 2$$

$$c = \max - |a| = 2 - 3 = -1$$

$$d_{\cos} = \frac{\pi}{2}$$

$$d_{\sin} = \frac{\pi}{4}$$

$$y = 3 \sin \left[2(x - \frac{\pi}{4}) \right] - 1$$

$$y = 3 \cos \left[2(x - \frac{\pi}{2}) \right] - 1$$

- 3) A sine function has a maximum value of 7, a minimum value of -1, a phase shift of $\frac{3\pi}{4}$ radians to the left, and a period of $\frac{\pi}{2}$.

a) Write an equation for this function.

$$a = \frac{\max - \min}{2} = \frac{7 - (-1)}{2} = 4$$

$$k = \frac{2\pi}{\text{period}} = \frac{2\pi}{\left(\frac{\pi}{2}\right)} = 2\pi \left(\frac{2}{\pi}\right) = 4$$

$$d = -\frac{3\pi}{4}$$

$$c = \max - |a| = 7 - 4 = 3$$

$$y = 4 \sin\left[4\left(x + \frac{3\pi}{4}\right)\right] + 3$$

- b) Write an equivalent cosine equation for this function.

$$d\cos = d\sin + \frac{\pi}{2k} = -\frac{3\pi}{4} + \frac{\pi}{2(4)} = -\frac{6\pi}{8} + \frac{\pi}{8} = -\frac{5\pi}{8}$$

$$y = 4 \cos\left[4\left(x + \frac{5\pi}{8}\right)\right] + 3$$

- c) A cosine function has a maximum value of 1, a minimum value of -5, a phase shift of 2 radians to the right, and a period of 3.

a) Write an equation for this function.

$$a = \frac{\max - \min}{2} = \frac{1 - (-5)}{2} = 3$$

$$k = \frac{2\pi}{\text{period}} = \frac{2\pi}{3}$$

$$d = 2$$

$$c = \max - |a| = 1 - 3 = -2$$

$$y = 3 \cos\left[\frac{2\pi}{3}(x - 2)\right] - 2$$

- b) Write an equivalent sine equation for this function.

$$d\sin = d\cos - \frac{\pi}{2k} = 2 - \frac{\pi}{\left(\frac{4\pi}{3}\right)} = 2 - \pi\left(\frac{3}{4\pi}\right) = \frac{8}{4} - \frac{3}{4} = \frac{5}{4}$$

$$y = 3 \sin\left[\frac{2\pi}{3}\left(x - \frac{5}{4}\right)\right] - 2$$